

# 2-ETHYLHEXYL ACETATE

EHC

## CAUTIONARY RESPONSE INFORMATION

<b>Common Synonyms</b> Octyl acetate		Liquid	Colorless	Mild odor
		Floats on water.		
<p>Avoid inhalation.                  Wear full impervious protective clothing and approved respirator.                  Shut off ignition sources and call fire department.                  Notify local health and pollution control agencies.                  Protect water intakes.</p>				
<b>Fire</b>	Combustible. Wear full protective clothing with self-contained breathing apparatus. Extinguish fire with alcohol foam, dry chemical, or carbon dioxide.			
<b>Exposure</b>	CALL FOR MEDICAL AID.  VAPOR Move victim to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen.  LIQUID Remove contaminated clothing and shoes. Flush affected areas with water. IF IN EYES, hold eyelids open and flush with plenty of water. IF SWALLOWED and victim is CONSCIOUS, drink water or milk.			
<b>Water Pollution</b>	Effect of low concentrations on aquatic life is unknown. May be dangerous if it enters water intakes. Notify local health and wildlife officials. Notify operators of nearby water intakes.			

<p><b>1. CORRECTIVE RESPONSE ACTIONS</b>                  Stop discharge                  Contain                  Collection Systems: Skim                  Clean shore line                  Salvage waterfowl</p>	<p><b>2. CHEMICAL DESIGNATIONS</b>                  2.1 <b>CG Compatibility Group:</b> Not listed.                  2.2 <b>Formula:</b> CH<sub>3</sub>COOCH<sub>2</sub>CH(CH<sub>2</sub>)<sub>5</sub>C<sub>2</sub>H<sub>5</sub>                  2.3 <b>IMO/UN Designation:</b> Currently not available                  2.4 <b>DOT ID No.:</b> Not listed.                  2.5 <b>CAS Registry No.:</b> 103-09-3                  2.6 <b>NAERG Guide No.:</b> Not listed                  2.7 <b>Standard Industrial Trade Classification:</b> 51372</p>
<p><b>3. HEALTH HAZARDS</b></p> <p>3.1 <b>Personal Protective Equipment:</b> Impervious clothing and gloves should be used to prevent skin contact. Where splashing is possible wear full face shield or chemical safety goggles. Use approved respirator to protect against vapors.</p> <p>3.2 <b>Symptoms Following Exposure:</b> Prolonged skin contact may cause irritation.</p> <p>3.3 <b>Treatment of Exposure:</b> Get medical attention. INHALATION: Remove to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. EYES: Flush with water for at least 15 min., lifting lids occasionally. SKIN: Remove contaminated clothing and shoes. Flush with water. INGESTION: Have the victim drink water or milk.</p> <p>3.4 <b>TLV-TWA:</b> Not listed.                  3.5 <b>TLV-STEL:</b> Not listed.                  3.6 <b>TLV-Ceiling:</b> Not listed.                  3.7 <b>Toxicity by Ingestion:</b> Currently not available.                  3.8 <b>Toxicity by Inhalation:</b> Currently not available.                  3.9 <b>Chronic Toxicity:</b> Currently not available                  3.10 <b>Vapor (Gas) Irritant Characteristics:</b> Vapors cause a slight smarting of the eyes or respiratory system if present in high concentrations. The effect is temporary.                  3.11 <b>Liquid or Solid Characteristics:</b> Minimum hazard. If spilled on clothing and allowed to remain, may cause smarting and reddening of skin.                  3.12 <b>Odor Threshold:</b> Currently not available                  3.13 <b>IDLH Value:</b> Not listed.                  3.14 <b>OSHA PEL-TWA:</b> Not listed.                  3.15 <b>OSHA PEL-STEL:</b> Not listed.                  3.16 <b>OSHA PEL-Ceiling:</b> Not listed.                  3.17 <b>EPA AEGL:</b> Not listed</p>	

## 4. FIRE HAZARDS

- 4.1 **Flash Point:** 160°F C.C.  
 4.2 **Flammable Limits in Air:** LEL: 0.76% @ 200°F; UEL: 8.14% @ 300°F.  
 4.3 **Fire Extinguishing Agents:** Alcohol foam, dry chemical, or carbon dioxide.  
 4.4 **Fire Extinguishing Agents Not to Be Used:** Use water with caution. Since the material is lighter than water and virtually insoluble, the fire could easily be spread by use of water in an uncontained area.  
 4.5 **Special Hazards of Combustion Products:** Irritating vapors and toxic gases, such as carbon monoxide, may be formed when involved in fire.  
 4.6 **Behavior in Fire:** Currently not available  
 4.7 **Auto Ignition Temperature:** Currently not available  
 4.8 **Electrical Hazards:** Not listed.  
 4.9 **Burning Rate:** Currently not available  
 4.10 **Adiabatic Flame Temperature:** Currently not available  
 4.11 **Stoichiometric Air to Fuel Ratio:** 66.6 (calc.)  
 4.12 **Flame Temperature:** Currently not available  
 4.13 **Combustion Molar Ratio (Reactant to Product):** 20.0 (calc.)  
 4.14 **Minimum Oxygen Concentration for Combustion (MOCC):** Not listed

## 5. CHEMICAL REACTIVITY

- 5.1 **Reactivity with Water:** No reaction.  
 5.2 **Reactivity with Common Materials:** Contact with strong oxidizers may cause vigorous reaction.  
 5.3 **Stability During Transport:** Stable.  
 5.4 **Neutralizing Agents for Acids and Caustics:** Not pertinent.  
 5.5 **Polymerization:** Will not polymerize.  
 5.6 **Inhibitor of Polymerization:** Not pertinent.

## 6. WATER POLLUTION

- 6.1 **Aquatic Toxicity:** Currently not available  
 6.2 **Waterfowl Toxicity:** Currently not available  
 6.3 **Biological Oxygen Demand (BOD):** Currently not available  
 6.4 **Food Chain Concentration Potential:** Currently not available  
 6.5 **GESAMP Hazard Profile:**  
 Bioaccumulation: 0  
 Damage to living resources: 2  
 Human Oral hazard: 1  
 Human Contact hazard: 1  
 Reduction of amenities: X

## 7. SHIPPING INFORMATION

- 7.1 **Grades of Purity:** Technical grades.  
 7.2 **Storage Temperature:** Ambient.  
 7.3 **Inert Atmosphere:** No requirement.  
 7.4 **Venting:** Not listed.  
 7.5 **IMO Pollution Category:** Currently not available  
 7.6 **Ship Type:** Currently not available  
 7.7 **Barge Hull Type:** Currently not available

## 8. HAZARD CLASSIFICATIONS

- 8.1 **49 CFR Category:** Not listed.  
 8.2 **49 CFR Class:** Not pertinent.  
 8.3 **49 CFR Package Group:** Not listed.  
 8.4 **Marine Pollutant:** No  
 8.5 **NFPA Hazard Classification:**
- | Category                  | Classification |
|---------------------------|----------------|
| Health Hazard (Blue)..... | 2              |
| Flammability (Red).....   | 2              |
| Instability (Yellow)..... | 0              |
- 8.6 **EPA Reportable Quantity:** Not listed.  
 8.7 **EPA Pollution Category:** Not listed.  
 8.8 **RCRA Waste Number:** Not listed  
 8.9 **EPA FWPCA List:** Not listed

## 9. PHYSICAL & CHEMICAL PROPERTIES

- 9.1 **Physical State at 15° C and 1 atm:** Liquid  
 9.2 **Molecular Weight:** 172.27  
 9.3 **Boiling Point at 1 atm:** 378°F = 192°C = 465°K  
 9.4 **Freezing Point:** Currently not available  
 9.5 **Critical Temperature:** Currently not available  
 9.6 **Critical Pressure:** Currently not available  
 9.7 **Specific Gravity:** 0.873 @ 20°C.  
 9.8 **Liquid Surface Tension:** Currently not available  
 9.9 **Liquid Water Interfacial Tension:** Currently not available  
 9.10 **Vapor (Gas) Specific Gravity:** 5.93  
 9.11 **Ratio of Specific Heats of Vapor (Gas):** Currently not available  
 9.12 **Latent Heat of Vaporization:** Currently not available  
 9.13 **Heat of Combustion:** Currently not available  
 9.14 **Heat of Decomposition:** Currently not available  
 9.15 **Heat of Solution:** Currently not available  
 9.16 **Heat of Polymerization:** Not pertinent.  
 9.17 **Heat of Fusion:** Currently not available  
 9.18 **Limiting Value:** Currently not available  
 9.19 **Reid Vapor Pressure:** Currently not available

## NOTES

# 2-ETHYLHEXYL ACETATE

EHC

9.20 SATURATED LIQUID DENSITY		9.21 LIQUID HEAT CAPACITY		9.22 LIQUID THERMAL CONDUCTIVITY		9.23 LIQUID VISCOSITY	
Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F	Temperature (degrees F)	British thermal unit inch per hour-square foot-F	Temperature (degrees F)	Centipoise
68	7.290		C U R R E N T L Y  N O T  A V A I L A B L E		C U R R E N T L Y  N O T  A V A I L A B L E		C U R R E N T L Y  N O T  A V A I L A B L E

9.24 SOLUBILITY IN WATER		9.25 SATURATED VAPOR PRESSURE		9.26 SATURATED VAPOR DENSITY		9.27 IDEAL GAS HEAT CAPACITY	
Temperature (degrees F)	Pounds per 100 pounds of water	Temperature (degrees F)	Pounds per square inch	Temperature (degrees F)	Pounds per cubic foot	Temperature (degrees F)	British thermal unit per pound-F
	N E G L I G I B L E	68	0.008	68	0.00023		C U R R E N T L Y  N O T  A V A I L A B L E