NICOTINE SULFATE

CAUTIONARY RESPONSE INFORMATION Common Synonyms White to light brown Odorless solid or Black leaf 40 (40% water solid or colorless tobacco odored solution solution Neutral nicotine sulfate Mixes with water KEEP PEOPLE AWAY. AVOID CONTACT WITH LIQUID AND SOLID Avoid inhalation Wear goggles and dust respirator Notify local health and pollution co alth and pollution control agencies. Fire POISONOUS GASES MAY BE PRODUCED WHEN HEATED. CALL FOR MEDICAL AID. **Exposure** VAPOR OR DUST POISONOUS IF INHALED. Move victim to fresh air. If in eyes, hold eyelids open and flush with plenty of water. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. LIQUID OR SOLID POISONOUS IF SWALLOWED OR IF SKIN IS EXPOSED. POISONOUS IF SWALLOWED OR IF SKIN IS EXPOSED. Irritating to eyes. Remove contaminated clothing and shoes. Flush affected areas with plenty of water. IF IN EYES, hold eyelids open and flush with plenty of water. IF SWALLOWED and victim is CONSCIOUS, have victim drink water. or milk and have victim induce vomiting. IF SWALLOWED and victim is UNCONSCIOUS OR HAVING CONVULSIONS, do nothing except keep victim warm. HARMFUL TO AQUATIC LIFE IN VERY LOW CONCENTRATIONS Water May be dangerous if it enters water intal Notify local health and wildlife officials. Notify operators of nearby water intakes **Pollution**

| 1. CORRECTIVE RESPONSE A | CTIONS |
|--------------------------|--------|
|--------------------------|--------|

Stop discharge Dilute and disperse

2. CHEMICAL DESIGNATIONS

- 2.1 CG Compatibility Group: Not listed.
 2.2 Formula: (C:uH.xNb): HsS0.
 2.3 IMO/UN Designation: 6.1/1658
 2.4 DOT ID No.: 1658
 2.5 CAS Registry No.: 65-30-5
 2.6 NAERG Guide No.: 151
 2.7 Standard Industrial Trade Classification:

3. HEALTH HAZARDS

- 3.1 Personal Protective Equipment: Dust mask; rubber gloves.
- 3.2 Symptoms Following Exposure: Inhalation causes irritation of nose and throat. Liquid irritates eyes and (on prolonged contact) skin. Ingestion causes burning of mouth and stomach, vomiting, excitement, faintness, paralysis of lungs.
- 3.3 Treatment of Exposure: EYES: flush with water. SKIN: wash thoroughly and immediately with water. INGESTION: call for medical aid; induce immediate and repeated vomiting; perform gastric lavage with dilute (1:10,000) solution of potassium permanganate or activated charcoal in water or milk; apply artificial respiration if breathing has stopped.
- 3.4 TLV-TWA: Not listed.
- 3.5 TLV-STEL: Not listed.
- 3.6 TLV-Ceiling: Not listed.
 3.7 Toxicity by Ingestion: Grade 3; oral LD₅₀ = 55 mg/kg (rat)
- 3.8 Toxicity by Inhalation: Currently not available
- 3.9 Chronic Toxicity: Currently not available
- 3.10 Vapor (Gas) Irritant Characteristics: Currently not available
- 3.11 Liquid or Solid Characteristics: Currently not available
- 3.12 Odor Threshold: Odorless solid
- 3.13 IDLH Value: Not listed. 3.14 OSHA PEL-TWA: Not listed.
- 3 15 OSHA PEL-STEL: Not listed
- 3.16 OSHA PEL-Ceiling: Not listed.
- 3.17 EPA AEGL: Not listed

4. FIRE HAZARDS

- 4.1 Flash Point:
- Nonflammable as solid or water solution.
- 4.2 Flammable Limits in Air: Not pertinent
- 4.3 Fire Extinguishing Agents: Not pertinent
- 4.4 Fire Extinguishing Agents Not to Be Used: Not pertinent
- 4.5 Special Hazards of Combustion **Products:** Toxic decomposition products are released in a fire.
- 4.6 Behavior in Fire: Not pertinent
- 4.7 Auto Ignition Temperature: Not pertinent
- 4.8 Electrical Hazards: Not pertinent
- 4.9 Burning Rate: Not pertinent 4.10 Adiabatic Flame Temperature: Currently not available
- 4.11 Stoichometric Air to Fuel Ratio: Not
- 4.12 Flame Temperature: Currently not available
- 4.13 Combustion Molar Ratio (Reactant to Product): Not pertinent.
- 4.14 Minimum Oxygen Concentration for Combustion (MOCC): Not listed

5. CHEMICAL REACTIVITY

- 5.1 Reactivity with Water: No reaction
- 5.2 Reactivity with Common Materials: No reaction
- 5.3 Stability During Transport: Stable
- 5.4 Neutralizing Agents for Acids and Caustics: Not pertinent
- 5.5 Polymerization: Not pertinent
- 5.6 Inhibitor of Polymerization: Not pertinent

6. WATER POLLUTION

- **6.1 Aquatic Toxicity:**3-29 ppm/*/fish/toxic/fresh water (for
 - nicotine)
 *Time period not specified.
- 6.2 Waterfowl Toxicity: LD₅₀ = 587 mg/kg (for
- 6.3 Biological Oxygen Demand (BOD):
- 6.4 Food Chain Concentration Potential:
- 6.5 GESAMP Hazard Profile: Not listed

7. SHIPPING INFORMATION

- 7.1 Grades of Purity: Solid: Commercial; Solution: 40%
- 7.2 Storage Temperature: Ambient 7.3 Inert Atmosphere: No requirement
- 7.4 Venting: Open
- 7.5 IMO Pollution Category: Currently not available
- 7.6 Ship Type: Currently not available
- 7.7 Barge Hull Type: Currently not available

8. HAZARD CLASSIFICATIONS

- 8.1 49 CFR Category: Poison 8 2 49 CFR Class: 6 1
- 8.3 49 CFR Package Group: II
- 8.4 Marine Pollutant: No
- 8.5 NFPA Hazard Classification: Not listed
- 8.6 EPA Reportable Quantity: Not listed.
- 8.7 EPA Pollution Category: Not listed.
- 8.8 RCRA Waste Number: Not listed
- 8.9 EPA FWPCA List: Not listed

9. PHYSICAL & CHEMICAL PROPERTIES

- 9.1 Physical State at 15° C and 1 atm: Solid
- 9.2 Molecular Weight: 422.5
- 9.3 Boiling Point at 1 atm: Not pertinent
- 9.4 Freezing Point: Not pertinent
- 9.5 Critical Temperature: Not pertinent
- 9.6 Critical Pressure: Not pertinent
- 9.7 Specific Gravity: 1.15 at 20°C (solid)
- 9.8 Liquid Surface Tension: Not pertinent
- 9.9 Liquid Water Interfacial Tension: Not
- 9.10 Vapor (Gas) Specific Gravity: Not pertinent
- 9.11 Ratio of Specific Heats of Vapor (Gas): Not pertinent
- 9.12 Latent Heat of Vaporization: Not pertinent
- 9.13 Heat of Combustion: Not pertinent
- 9.14 Heat of Decomposition: Not pertinent
- 9.15 Heat of Solution: Not pertinent
- 9.16 Heat of Polymerization: Not pertinent
- 9.17 Heat of Fusion: Currently not available 9.18 Limiting Value: Currently not available
- 9.19 Reid Vapor Pressure: Currently not available

NICOTINE SULFATE

| 9.20 SATURATED LIQUID DENSITY | | 9.21 LIQUID HEAT CAPACITY | | 9.22 LIQUID THERMAL CONDUCTIVITY | | 9.23 LIQUID VISCOSITY | |
|----------------------------------|-----------------------|------------------------------|-------------------------------------|-------------------------------------|--|----------------------------|-------------|
| Temperature (degrees F) | Pounds per cubic foot | Temperature (degrees F) | British thermal unit per pound-F | Temperature (degrees F) | British thermal unit inch per hour-square foot-F | Temperature (degrees F) | Centipoise |
| | N O T | | N O T | | N O T | | N O T |
| | PERTINENT | | PERT INENT | | . PERT - NENT | | PERT NENT |

| 9.24 SOLUBILITY IN WATER | | 9.25 SATURATED VAPOR PRESSURE | | 9.26 SATURATED VAPOR DENSITY | | 9.27 IDEAL GAS HEAT CAPACITY | |
|-----------------------------|--------------------------------|----------------------------------|---|---------------------------------|---|---------------------------------|---|
| Temperature (degrees F) | Pounds per 100 pounds of water | Temperature (degrees F) | Pounds per square inch | Temperature (degrees F) | Pounds per cubic foot | Temperature (degrees F) | British thermal unit per pound-F |
| | V E R Y | | N O T | | N O T | | N O T |
| | S O L U B L E | | P E R T I N E N T | | P E R T I N E N T | | P E R T I N E N T |
| | | | | | | | |
| | | | | | | | |